

**CALIBRE CONTINUES TO EXPAND ZONES OF HIGH-GRADE GOLD MINERALIZATION  
WITHIN THE LIMON MINE COMPLEX**

**Calibre Mining News Release, September 12, 2023 - Drill Hole Table**

\*See notes at the bottom of the table

Drill Hole ID	From (m)	To (m)	Interval (m)	ETW (m)	Au (g/t)
LIM-22-4711	0.0	231.5	231.5		NS
	231.5	233.7	2.2		0.08
	233.7	249.5	15.8	13.31	9.67
<i>includes</i>	239.1	248.5	9.4	7.87	15.77
	249.5	263.3	13.8		0.03
LIM-22-4715	0.0	92.0	92.0		NS
	92.0	95.3	3.3		0.02
	95.3	95.7	0.4		0.40
	95.7	98.2	2.5		0.08
	98.2	99.8	1.6	1.34	0.79
	99.8	101.6	1.8		0.09
	101.6	107.0	5.5	4.32	15.32
<i>includes</i>	104.2	107.0	2.9	2.25	28.71
	107.0	113.3	6.3		0.17
	113.3	117.6	4.3	3.4	1.27
	117.6	121.0	3.5		0.08
	121.0	150.0	29.0		NS
LIM-22-4719	0.0	184.0	184.0		NS
	184.0	188.3	4.3		0.08
	188.3	200.5	12.3	10.08	8.94
<i>includes</i>	189.8	190.7	1.0	0.8	8.80
	192.9	196.9	4.0	3.3	22.43
	200.5	206.3	5.8		0.07
	206.3	224.3	18.0		NS
LIM-22-4723	0.0	199.0	199.0		NS
	199.0	203.8	4.8		0.18
	203.8	209.7	5.9	4.82	4.95
<i>includes</i>	203.8	204.2	0.4	0.33	12.30
	204.7	206.4	1.8	1.43	8.75
	209.7	223.0	13.3		0.06
LIM-22-4725	0.0	144.0	144.0		NS
	144.0	147.1	3.1		0.01
	147.1	213.0	65.9		NS
	213.0	228.4	15.4		0.05
	228.4	236.9	8.5	7.05	7.66
<i>includes</i>	229.8	233.9	4.2	3.44	14.55
	236.9	250.0	13.1		0.05
LIM-22-4729	0.0	178.0	178.0		NS
	178.0	200.0	22.0		0.04

	200.0	227.0	27.0		NS
	227.0	229.8	2.8		0.02
	229.8	231.9	2.1	1.93	16.30
<i>includes</i>	230.1	231.2	1.1	1.01	30.50
	231.9	240.2	8.3		0.04
LIM-22-4734	0.0	225.5	225.5		NS
	225.5	232.1	6.6		0.06
	232.1	235.0	3.0	2.63	1.24
	235.0	241.6	6.6		0.05
	241.6	244.0	2.4		0.27
	244.0	254.5	10.5		0.05
	254.5	264.5	10.0	8.94	6.22
<i>includes</i>	256.1	260.9	4.8	4.29	11.07
	261.3	262.8	1.5	1.3	5.20
	264.5	273.0	8.6		0.01
LIM-22-4737	0.0	176.7	176.7		NS
	176.7	177.7	1.0		0.04
	177.7	189.0	11.3	8.96	1.09
<i>includes</i>	184.0	184.8	0.8	0.63	4.23
	189.0	190.0	1.0		0.09
	190.0	210.1	20.1		NS
	210.1	213.0	2.9		0.09
	213.0	219.8	6.8	6.29	6.08
<i>includes</i>	213.0	215.7	2.7	2.5	14.32
	219.8	222.8	3.0		0.17
	209.2	235.3	26.0		NS

**Note:** Estimated True Widths ('ETW') for reported vein intercepts are based on 3D models of the individual veins. Estimates are determined in cross-section by measuring the modelled vein thickness perpendicular to the vein margins and through the midpoint of the drill hole intercept. Percentage based differences between individual ETW's and down-hole interval lengths will vary between drill holes depending on drill hole inclination, variations in vein strike and dip, and overall geometries of the different vein systems.

#### September 12 – Drill Hole Collar Coordinates

Drill Hole ID	UTM East (m)	UTM North (m)	Elevation (masl)	Total Depth (m)	Azimuth (degrees)	Dip (degrees)
LIM-22-4711	526703.82	1410342.04	76.67	263.25	151.86	-50.88
LIM-22-4715	526763.12	1410236.41	73.54	150	153.73	-53.07
LIM-22-4719	526715.39	1410298.33	70.56	224.25	149.93	-52.93
LIM-22-4723	526689.33	1410285.57	63.15	223	150.07	-51.99
LIM-22-4725	526678.18	1410305.97	64.43	250	149.97	-51.67
LIM-22-4729	526790.08	1410368.07	111.17	240.15	149.98	-52.6
LIM-22-4734	526746.01	1410375.18	102.94	273	150.02	-52.73
LIM-22-4737	526772.68	1410346.34	101.69	235	150	-51.82